

Package: ProPublicaR (via r-universe)

October 30, 2024

Type Package

Title Access Functions for ProPublica's APIs

Version 1.1.4

Roxygen list(markdown = TRUE)

Description Provides wrapper functions to access the ProPublica's Congress and Campaign Finance APIs. The Congress API provides near real-time access to legislative data from the House of Representatives, the Senate and the Library of Congress. The Campaign Finance API provides data from United States Federal Election Commission filings and other sources. The API covers summary information for candidates and committees, as well as certain types of itemized data. For more information about these APIs go to: <https://www.propublica.org/datastore/apis>.

License GPL-3 | file LICENSE

BugReports <https://github.com/dietrichson/ProPublicaR/issues>

Depends R (>= 3.1)

Imports dplyr, stringr, httr, config, lubridate

Suggests testthat, httpptest, knitr

Encoding UTF-8

LazyData true

RoxygenNote 7.2.1

Collate 'a_get_new_members.R' 'bills_legislation_by_keyword.R'
'compare_two_member_bill_sponsorships.R'
'compare_two_member_vote_positions.R' 'data.R' 'get_a_bill.R'
'get_amendments_bill.R' 'get_bills_cosponsored_member.R'
'get_candidate.R' 'get_candidate_by_name.R'
'get_candidates_in_race.R' 'get_committee.R'
'get_committee_by_name.R'
'get_committee_electioneering_communications.R'
'get_committee_filings.R' 'get_committee_leadership.R'
'get_congress_member.R' 'get_congressional_statement_by_bill.R'
'get_congressional_statement_by_member.R'

'get_congressional_statement_by_subjects.R'
 'get_cosponsors_specific_bill.R'
 'get_current_members_by_statedistrict.R'
 'get_electioneering_communications_by_date.R'
 'get_electioneering_communications_committee.R'
 'get_electronic_filing_byDate.R'
 'get_electronic_filing_by_committees.R'
 'get_electronic_filing_by_types.R'
 'get_electronic_filing_form_types.R'
 'get_hearing_specific_committee.R'
 'get_house_senate_floor_actions_by_date.R'
 'get_independent_expenditure_by_committee.R'
 'get_independent_expenditure_by_date.R'
 'get_independent_expenditure_office_totals.R'
 'get_independent_expenditure_race_totals_committee.R'
 'get_independent_expenditure_support_candidate.R'
 'get_independent_expenditure_support_presidential_candidate.R'
 'get_lobbyist_bundlers.R' 'get_member_vote_position.R'
 'get_members_leaving.R' 'get_nominees_by_state.R'
 'get_quarter_office_expenses_by_category_house_member.R'
 'get_quarter_office_expenses_house_member.R'
 'get_races_for_state.R' 'get_recent_amendments.R'
 'get_recent_committee_hearing.R'
 'get_recent_congressional_statements.R'
 'get_recent_congressional_statements_by_date.R'
 'get_recent_congressional_statements_by_term.R'
 'get_recent_electioneering_communications.R'
 'get_recent_house_senate_floor_actions.R'
 'get_recent_independent_expend.R'
 'get_recent_late_contributions.R'
 'get_recent_late_contributions_candidate.R'
 'get_recent_late_contributions_committee.R'
 'get_recent_late_contributions_date.R'
 'get_recent_lobbying_representation_filings.R'
 'get_recent_nominations_by_category.R'
 'get_recent_official_communications.R'
 'get_recent_official_communications_by_category.R'
 'get_recent_official_communications_by_chamber.R'
 'get_recent_official_communications_by_date.R'
 'get_recent_personal_explanations.R'
 'get_recent_personal_explanations_specific_member.R'
 'get_recent_personal_explanations_votes.R'
 'get_recent_personal_explanations_votes_by_category.R'
 'get_recent_personal_explanations_votes_specific_member.R'
 'get_recent_personal_explanations_votes_specific_member_by_category.R'
 'get_recent_votes.R'
 'get_recently_added_independent_expenditure_committees.R'
 'get_recently_candidates.R' 'get_recently_committees.R'

'get_related_bills.R' 'get_senate_nomination_votes.R'
 'get_specific_bill.R' 'get_specific_bill_subject.R'
 'get_specific_committee.R'
 'get_specific_lobbying_representation_filings.R'
 'get_specific_nominations.R' 'get_specific_roll_call_vote.R'
 'get_specific_subcommittee.R' 'get_state_party_counts.R'
 'get_statement_subjects.R' 'get_subjects_for_bill.R'
 'get_top20_candidate_of_FinancialCategory.R'
 'get_upcoming_bills.R' 'get_votes_by_date.R'
 'get_votes_by_date_range.R' 'get_votes_by_type.R'
 'list_members_chamber_congress.R' 'lists_of_committees.R'
 'pp_convert_to_data_frame.R' 'pp_query.R'
 'recent_bills_by_member.R' 'recent_bills_by_subject.R'
 'recent_bills_by_type.R' 'retrieve_key.R'
 'search_lobbying_representation_filings.R' 'validate_cycle.R'
 'validate_district.R' 'validate_state.R' 'zzz.R'

Repository <https://dietrichson.r-universe.dev>

RemoteUrl <https://github.com/dietrichson/propublicar>

RemoteRef HEAD

RemoteSha 824fe9309420bf739887ac6298b47e4d1b3b9e22

Contents

bills_legislation_by_keyword	5
compare_two_member_bill_sponsorships	6
compare_two_member_vote_positions	7
get_amendments_bill	8
get_a_bill	9
get_bills_cosponsored_member	10
get_candidate	11
get_candidates_in_race	12
get_candidate_by_name	13
get_committee	13
get_committee_by_name	14
get_committee_electioneering_communications	15
get_committee_filings	16
get_committee_leadership	17
get_congressional_statement_by_bill	17
get_congressional_statement_by_member	18
get_congressional_statement_by_subjects	19
get_congress_member	20
get_cosponsors_specific_bill	20
get_current_members_by_statedistrict	21
get_electioneering_communications_by_date	22
get_electioneering_communications_committee	23
get_electronic_filing_byDate	24

get_electronic_filing_by_committees	25
get_electronic_filing_by_types	25
get_electronic_filing_form_types	26
get_hearing_specific_committee	27
get_house_senate_floor_actions_by_date	28
get_independent_expenditure_by_committee	29
get_independent_expenditure_by_date	30
get_independent_expenditure_office_totals	31
get_independent_expenditure_race_totals_committee	32
get_independent_expenditure_support_candidate	33
get_independent_expenditure_support_presidential_candidate	34
get_lobbyist_bundlers	34
get_members_leaving	35
get_member_vote_position	36
get_new_members	37
get_nominees_by_state	37
get_quarter_office_expenses_by_category_house_member	38
get_quarter_office_expenses_house_member	39
get_races_for_state	40
get_recently_added_independent_expenditure_committees	41
get_recently_candidates	41
get_recently_committees	42
get_recent_amendments	43
get_recent_committee_hearing	44
get_recent_congressional_statements	44
get_recent_congressional_statements_by_date	45
get_recent_congressional_statements_by_term	46
get_recent_electioneering_communications	47
get_recent_house_senate_floor_actions	47
get_recent_independent_expend	48
get_recent_late_contributions	49
get_recent_late_contributions_candidate	50
get_recent_late_contributions_committee	51
get_recent_late_contributions_date	52
get_recent_lobbying_representation_filings	53
get_recent_nominations_by_category	53
get_recent_official_communications	54
get_recent_official_communications_by_category	55
get_recent_official_communications_by_chamber	56
get_recent_official_communications_by_date	57
get_recent_personal_explanations	58
get_recent_personal_explanations_specific_member	58
get_recent_personal_explanations_votes	59
get_recent_personal_explanations_votes_by_category	60
get_recent_personal_explanations_votes_specific_member	61
get_recent_personal_explanations_votes_specific_member_by_category	62
get_recent_votes	63
get_related_bills	64

get_senate_nomination_votes	65
get_specific_bill	65
get_specific_bill_subject	66
get_specific_committee	67
get_specific_lobbying_representation_filings	68
get_specific_nominations	68
get_specific_roll_call_vote	69
get_specific_subcommittee	70
get_statement_subjects	71
get_state_party_counts	72
get_subjects_for_bill	73
get_top20_candidate_of_FinancialCategory	73
get_upcoming_bills	74
get_votes_by_date	75
get_votes_by_date_range	76
get_votes_by_type	77
lists_of_committees	78
list_members_chamber_congress	79
pp_convert_to_data_frame	79
pp_query	80
recent_bills_by_member	81
recent_bills_by_subject	82
recent_bills_by_type	83
retrieve_key	84
search_lobbying_representation_filings	84
us_congressional_districts	85
validate_cycle	86
validate_district	86
validate_state	87
Index	88

bills_legislation_by_keyword

Search Bills: to search the title and full text of legislation by keyword to get the 20 most recent bills

Description

Use this request to search the title and full text of legislation by keyword to get the 20 most recent bills. Searches cover House and Senate bills from the 113th Congress through the current Congress (115th). If multiple words are given (e.g. query = health care) the search is treated as multiple keywords using the OR operator. Quoting the words (e.g. query = "health care") makes it a phrase search. Search results can be sorted by date (the default) or by relevance, and in ascending or descending order.

Usage

```

bills_legislation_by_keyword(
  query_keyword,
  sort = c("date", "_score"),
  dir = c("desc", "asc"),
  page = 1,
  myAPI_Key
)

```

Arguments

query_keyword	keyword or phrase to search the title and full text of legislation to get the 20 most recent bills
sort	_score or date (default is date)
dir	sort direction: asc or desc
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

a list object with the return values about title and full text of legislation by keyword

Examples

```

## Not run:
bills_legislation_by_keyword(query_keyword = 'megahertz')

## End(Not run)

```

compare_two_member_bill_sponsorships

Compare Two Members' Bill Sponsorships

Description

To compare bill sponsorship between two members who served in the same Congress and chamber. HTTP Request: GET <https://api.propublica.org/congress/v1/members/first-member-id/bills/second-member-id/congress/chamber.json>

Usage

```
compare_two_member_bill_sponsorships(
  first_member_id,
  second_member_id,
  congress,
  chamber,
  page = 1,
  myAPI_Key
)
```

Arguments

first_member_id	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
second_member_id	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
congress	102-116 for House, 101-116 for Senate
chamber	house o senate
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of bill sponsorship comparison between two members who served in the same Congress and chamber

Examples

```
## Not run:
compare_two_member_bill_sponsorships('G000575', 'D000624', '114', 'house')

## End(Not run)
```

```
compare_two_member_vote_positions
```

Compare Two Members Vote Positions

Description

Use this request type to compare two members' vote positions in a particular Congress and chamber. Responses include four calculated values, showing the number and percentage of votes in which the members took the same position or opposing positions. HTTP Request: GET <https://api.propublica.org/congress/v1/members/member-id/votes/second-member-id/congress/chamber.json>

Usage

```
compare_two_member_vote_positions(
    first_member_id,
    second_member_id,
    congress,
    chamber,
    page = 1,
    myAPI_Key
)
```

Arguments

<code>first_member_id</code>	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
<code>second_member_id</code>	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
<code>congress</code>	102-116 for House, 101-116 for Senate
<code>chamber</code>	house or senate
<code>page</code>	Results come in batches of 20. The page parameter specifies which one to retrieve.
<code>myAPI_Key</code>	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves four calculated values: `common_votes`, `disagree_votes`, `agree_percent` and `disagree_percent` to compare two members' vote positions, in a particular Congress and chamber

Examples

```
## Not run:
compare_two_member_vote_positions('G000575', 'D000624', '114', 'house')

## End(Not run)
```

`get_amendments_bill` *Get Amendments for a Specific Bill*

Description

HTTP Request: GET <https://api.propublica.org/congress/v1/congress/bills/bill-id/amendments.json>. Use this request type to get Library of Congress-assigned subjects about a particular bill.

Usage

```
get_amendments_bill(congress, bill_id, page = 1, myAPI_Key)
```

Arguments

congress	105-116
bill_id	a bill slug, for example hr4881 - these can be found in the recent bill response.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports paginated requests.

Examples

```
## Not run:
get_amendments_bill(115, 'hr1628')

## End(Not run)
```

get_a_bill	<i>Get a Specific Bill</i>
------------	----------------------------

Description

Use this request type to get details on bills that may be considered by the House or Senate in the near future, based on scheduled published or announced by congressional leadership.

Usage

```
get_a_bill(congress, bill_id, page = 1, myAPI_Key)
```

Arguments

congress	105-116
bill_id	a bill slug, for example hr4881 - these can be found in the recent bill response.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Details

The responses include a `legislative_day` attribute which is the earliest the bills could be considered, and a `range` attribute that indicates whether the bill information comes from a weekly schedule or a daily one. Combine the two for the best sense of when a bill might come up for consideration. For Senate bills, the response includes a `context` attribute reproducing the sentence that includes mention of the bill. These responses omit bills that have not yet been assigned a bill number or introduced, and additional bills may be considered at any time.

Value

List with the result of the query

Examples

```
## Not run:
get_a_bill(115, 'hr21')

## End(Not run)
```

```
get_bills_cosponsored_member
```

Get Bills Cosponsored by a Specific Member

Description

To get the 20 most recent bill cosponsorships for a particular member, either bills cosponsored or bills where cosponsorship was withdrawn. #HTTP Request: GET <https://api.propublica.org/congress/v1/members/member-id/bills/type.json>

Usage

```
get_bills_cosponsored_member(
  member_id,
  type = c("cosponsored", "withdrawn"),
  page = 1,
  myAPI_Key
)
```

Arguments

<code>member_id</code>	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
<code>type</code>	cosponsored or withdrawn
<code>page</code>	Results come in batches of 20. The page parameter specifies which one to retrieve.
<code>myAPI_Key</code>	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent bill cosponsorships for a particular member

Examples

```
## Not run:
get_bills_cosponsored_member('B001260', 'cosponsored')

## End(Not run)
```

get_candidate	<i>Get Candidate Info https://www.propublica.org/datastore/apis GET https://api.propublica.org/campaign-finance/v1/cycle/candidates/fec-id</i>
---------------	---

Description

Get Candidate Info <https://www.propublica.org/datastore/apis> GET <https://api.propublica.org/campaign-finance/v1/cycle/candidates/fec-id>

Usage

```
get_candidate(FEC_ID, cycle = 2018, page = 1, myAPI_Key)
```

Arguments

FEC_ID	The FEC-assigned 9-character ID of a candidate.
cycle	The election cycle must be even-numbered year between 1996 and 2018
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

a list object with the return values about candidate basic information

Examples

```
## Not run:
get_candidate('P60005915', 2016)

## End(Not run)
```

`get_candidates_in_race`*Get Candidates in Race*

Description

Get Candidates in Race

Usage

```
get_candidates_in_race(  
  state,  
  chamber,  
  district,  
  cycle = 2018,  
  return_value = c("results", "query"),  
  page = 1,  
  myAPI_Key  
)
```

Arguments

<code>state</code>	State abbreviation
<code>chamber</code>	house or senate
<code>district</code>	house district
<code>cycle</code>	The election cycle in question, e.g. 2018
<code>return_value</code>	should results be retrieved, or query string returned.
<code>page</code>	Results come in batches of 20. The page parameter specifies which one to retrieve.
<code>myAPI_Key</code>	API key from Propublica To use the congress API, you must sign up for an API key.

Value

The result of the API call (list), unless `return_value=query` (mostly for debugging), in which case the query string is returned.

Examples

```
## Not run:  
get_candidates_in_race('MI', 'house', 11)  
  
## End(Not run)
```

get_candidate_by_name *Get Candidate Info*

Description

<https://www.propublica.org/datastore/apis> HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/candidates/search>

Usage

```
get_candidate_by_name(NAME, cycle = 2018, page = 1, myAPI_Key)
```

Arguments

NAME	The first or last name of the candidate.
cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves federal candidates by last name, using a query string parameter.

Examples

```
## Not run:
get_candidate_by_name('Wilson', 2016)

## End(Not run)
```

get_committee *Get Committee Info HTTP Request: GET*
<https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id>

Description

Get Committee Info HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id>

Usage

```
get_committee(FEC_ID, cycle = 2018, page = 1, myAPI_Key)
```

Arguments

FEC_ID	The FEC-assigned 9-character ID of a committee.
cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves ca specific FEC committee for a given campaign cycle from the campaign-finance API from ProPublica.

Examples

```
## Not run:
get_committee('C00553560', 2016)

## End(Not run)
```

get_committee_by_name *Get Committee by name*

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/committees/search>

Usage

```
get_committee_by_name(NAME, cycle = 2018, page = 1, myAPI_Key)
```

Arguments

NAME	The name of the committee.
cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves ca specific committee by name for a given campaign cycle from the campaign-finance API from ProPublica.

Examples

```
## Not run:
get_committee_by_name('Americans FOR A BETTER TOMORROW TODAY', 2016)

## End(Not run)
```

```
get_committee_electioneering_communications
      Get Electioneering Communications by Specific Committee
```

Description

HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id/electioneering_communications

Usage

```
get_committee_electioneering_communications(
  cycle = 2018,
  FEC_ID,
  page = 1,
  myAPI_Key
)
```

Arguments

cycle	The election cycle
FEC_ID	The FEC-assigned 9-character ID of a committee.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recently added FEC independent expenditure-only committees, known as “super PACs” from the campaign-finance API from ProPublica.

Examples

```
## Not run:  
get_committee_electioneering_communications(2016, 'C30002034')
```

```
## End(Not run)
```

get_committee_filings *Get Committee Filings*

Description

HTTP Request GET <https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id/filings>

Usage

```
get_committee_filings(FEC_ID, cycle = 2018, page = 1, myAPI_Key)
```

Arguments

FEC_ID	The FEC-assigned 9-character ID of a committee.
cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent FEC filings from the specified committee. Electronic filings are available back to 2001. Paper filings by Senate candidate committees and senatorial party committees go back to 1999.

Examples

```
## Not run:  
get_committee_filings('C00553560', 2016)
```

```
## End(Not run)
```

get_committee_leadership
Get Leadership Committees

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/committees/leadership>

Usage

```
get_committee_leadership(cycle = 2018, page = 1, myAPI_Key)
```

Arguments

cycle	The election cycle: an even-numbered year between 1996 and 2016. The current cycle in 2018
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves committees designated as “leadership PACs” by the FEC from the campaign-finance API from ProPublica.

Examples

```
## Not run:
get_committee_leadership(2016)

## End(Not run)
```

get_congressional_statement_by_bill
Get Congressional Statements by Bill

Description

To get lists of statements published on a specific member’s congressional website during a particular congress, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/bills/bill-id/statements.json>

Usage

```
get_congressional_statement_by_bill(congress, bill_id, page = 1, myAPI_Key)
```

Arguments

congress	113-116
bill_id	a bill slug, for example s19 - these can be found in bill responses.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports pagination using multiples of 20.

Examples

```
## Not run:
get_congressional_statement_by_bill(115, 's19')

## End(Not run)
```

get_congressional_statement_by_member
Get Congressional Statements by Member

Description

Get lists of statements published on a specific member's congressional website during a particular congress, use the following function.

Usage

```
get_congressional_statement_by_member(member_id, congress, page = 1, myAPI_Key)
```

Arguments

member_id	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
congress	113-116
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports pagination using multiples of 20.

Examples

```
## Not run:
get_congressional_statement_by_member("C001084", 115)

## End(Not run)
```

```
get_congressional_statement_by_subjects
    Get Congressional Statements by Subject
```

Description

To get lists of statements published on congressional websites for a particular subject, use the following function. These subjects are not automatically assigned but are manually curated by ProPublica, although they are based on legislative subjects produced by the Library of Congress. We advise using the statement search response for a more complete listing of statements about a keyword or phrase. HTTP Request: GET <https://api.propublica.org/congress/v1/statements/subject/subject.json>

Usage

```
get_congressional_statement_by_subjects(subject, page = 1, myAPI_Key)
```

Arguments

subject	Slug version of subject
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports pagination using multiples of 20.

Examples

```
## Not run:
get_statement_subjects()$results[[11]][3]
get_congressional_statement_by_subjects(get_statement_subjects()$results[[11]][3])
get_congressional_statement_by_subjects("Central Intelligence Agency")

## End(Not run)
```

get_congress_member *Get a Specific Member*

Description

To get biographical and Congressional role information for a particular member of Congress. HTTP Request: GET <https://api.propublica.org/congress/v1/members/member-id.json>

Usage

```
get_congress_member(member_id, page = 1, myAPI_Key)
```

Arguments

member_id	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves biographical and Congressional role information for a particular member of Congress

Examples

```
## Not run:
get_congress_member('K000388')

## End(Not run)
```

get_cosponsors_specific_bill
 Get Cosponsors for a Specific Bill

Description

HTTP Request: GET <https://api.propublica.org/congress/v1/congress/bills/bill-id/cosponsors.json>. Use this request type to get Library of Congress-assigned subjects about a particular bill.

Usage

```
get_cosponsors_specific_bill(congress, bill_id, page = 1, myAPI_Key)
```

Arguments

congress	105-116
bill_id	a bill slug, for example hr4881 - these can be found in the recent bill response.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves information about the cosponsors of a particular bill

Examples

```
## Not run:
get_cosponsors_specific_bill(114, 'hr4249')

## End(Not run)
```

get_current_members_by_statedistrict
Get Current Members by State/District

Description

Senate Request: GET <https://api.propublica.org/congress/v1/members/chamber/state/current.json>
House Request: GET <https://api.propublica.org/congress/v1/members/chamber/state/district/current.json>

Usage

```
get_current_members_by_statedistrict(
  state,
  chamber,
  district,
  page = 1,
  myAPI_Key
)
```

Arguments

state	Two-letter state abbreviation
chamber	house or senate
district	House of Representatives district number (House requests only). For states with at-large districts (AK, DE, MT, ND, SD, VT, WY), territories (GU, AS, VI, MP), commonwealths (PR) and the District of Columbia, use a district value of 1.

page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves biographical and Congressional role information for a particular member of Congress by State/District

Examples

```
## Not run:
get_current_members_by_statedistrict( 'MI', 'house', 11)
get_current_members_by_statedistrict( 'RI', 'senate')

## End(Not run)
```

get_electioneering_communications_by_date
Get Electioneering Communications by Date

Description

HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/electioneering_communications/year/month/day

Usage

```
get_electioneering_communications_by_date(
  cycle = 2018,
  year,
  month,
  day,
  page = 1,
  myAPI_Key
)
```

Arguments

cycle	The election cycle
year	The four-digit year from 2008-2016.
month	The two-digit month from 01-12
day	The two-digit day from 01-31
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves all broadcast advertisements that identify one or more federal candidates (and have aired 30 days before a primary election and 60 days before the general election) from a specific date.

Examples

```
## Not run:
get_electioneering_communications_by_date(2016, 2012, '10', '01')

## End(Not run)
```

get_electioneering_communications_committee

Get Electioneering Communications by Specific Committee

Description

HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id/electioneering_communications

Usage

```
get_electioneering_communications_committee(
  cycle = 2018,
  FEC_ID,
  page = 1,
  myAPI_Key
)
```

Arguments

cycle	The election cycle
FEC_ID	The FEC-assigned 9-character ID of a committee. To find a committee official FEC ID, use a candidate search request or the FEC web site.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the most recent broadcast advertisements by a specific committee that identify one or more federal candidates (and have aired 30 days before a primary election and 60 days before the general election).

Examples

```
## Not run:
get_electioneering_communications_committee(2016, 'C30002034')

## End(Not run)
```

```
get_electronic_filing_byDate
Get Electronic Filings by Date
```

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/filings/year/month/day>

Usage

```
get_electronic_filing_byDate(
  cycle = 2018,
  year,
  month,
  day,
  page = 1,
  myAPI_Key
)
```

Arguments

cycle	The election cycle
year	The four-digit year from 2001-2016
month	The two-digit month from 01-12
day	The two-digit day from 01-31
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves information about FEC reports filed electronically on a specific date.

Examples

```
## Not run:
get_electronic_filing_byDate(2016, 2016, '01', '10')

## End(Not run)
```

 get_electronic_filing_by_committees

Search for Electronic Filings by committee name o partial name

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/filings/search>

Usage

```
get_electronic_filing_by_committees(NAME, cycle = 2018, page = 1, myAPI_Key)
```

Arguments

NAME	The committee name or partial name
cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves information about FEC reports filed electronically by a committee for a given campaign cycle from the campaign-finance API from ProPublica.

Examples

```
## Not run:
get_electronic_filing_by_committees(NAME = "UNITED EGG", 2016)

## End(Not run)
```

 get_electronic_filing_by_types

Get Electronic Filings By Type

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/filings/types/form-type-id>

Usage

```
get_electronic_filing_by_types(cycle = 2018, form_type_id, page = 1, myAPI_Key)
```

Arguments

cycle	The election cycle
form_type_id	F + integer. To get form type IDs, use an electronic filing form types request.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves a list of available form types for FEC electronic filings.

Examples

```
## Not run:
get_electronic_filing_by_types(2016, 'F24')
get_electronic_filing_by_types(2016,
matrix(unlist(get_electronic_filing_form_types(2016)$results),
ncol = 2, byrow = TRUE)[8])
# '
## End(Not run)
```

```
get_electronic_filing_form_types
  Get Electronic Filing Form Types
```

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/filings/types>

Usage

```
get_electronic_filing_form_types(cycle = 2018, page = 1, myAPI_Key)
```

Arguments

cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves a list of available form types for FEC electronic filings.

Examples

```
## Not run:  
get_electronic_filing_form_types(2016)  
  
## End(Not run)
```

```
get_hearing_specific_committee  
    Get Hearings for a Specific Committee
```

Description

To get a list of 20 upcoming Senate or House committee meetings, use the following function.
HTTP Request: GET <https://api.propublica.org/congress/v1/congress/chamber/committees/committee-id/hearings.json>

Usage

```
get_hearing_specific_committee(  
  congress,  
  chamber,  
  committee_id,  
  page = 1,  
  myAPI_Key  
)
```

Arguments

congress	114-116
chamber	house or senate
committee_id	Optional committee abbreviation, for example HSAG. Use the full committees response to find abbreviations.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent hearings and supports pagination.

Examples

```
## Not run:
get_hearing_specific_committee(115, 'house', 'HSRU')
get_hearing_specific_committee(115, 'house',
lists_of_committees(115, "senate")$results[[1]]$committees[[1]]$id)

## End(Not run)
```

```
get_house_senate_floor_actions_by_date
```

Get House and Senate Floor Actions by Date

Description

To get the latest actions from the House or Senate floor, use the following function. HTTP Request: GET https://api.propublica.org/congress/v1/chamber/floor_updates/year/month/day.json

Usage

```
get_house_senate_floor_actions_by_date(
  chamber,
  year,
  month,
  day,
  page = 1,
  myAPI_Key
)
```

Arguments

chamber	house or senate
year	YYYY format
month	MM format
day	DD format
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results for that date and supports pagination using multiples of 20.

Examples

```
## Not run:
get_house_senate_floor_actions_by_date('senate', 2017, '05', '02')

## End(Not run)
```

```
get_independent_expenditure_by_committee
```

Get Independent Expenditures by Specific Committee

Description

#HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id/independent_expenditures

Usage

```
get_independent_expenditure_by_committee(
  cycle = 2018,
  FEC_ID,
  page = 1,
  myAPI_Key
)
```

Arguments

cycle	The election cycle
FEC_ID	The FEC-assigned 9-character ID of a committee. To find a committee official FEC ID, use a candidate search request or the FEC web site.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent independent expenditures by a given committee.

Examples

```
## Not run:
get_independent_expenditure_by_committee(2016, FEC_ID = 'C00575423')

## End(Not run)
```

`get_independent_expenditure_by_date`*Get Independent Expenditures by Date*

Description

HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/independent_expenditures/year/month/day

Usage

```
get_independent_expenditure_by_date(  
  cycle = 2018,  
  year,  
  month,  
  day,  
  page = 1,  
  myAPI_Key  
)
```

Arguments

<code>cycle</code>	The election cycle
<code>year</code>	The four-digit year from 2008-2016
<code>month</code>	The two-digit month from 01-12
<code>day</code>	The two-digit day from 01-31
<code>page</code>	Results come in batches of 20. The page parameter specifies which one to retrieve.
<code>myAPI_Key</code>	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves all independent expenditures on a specific date (the date of activity, not the date filed with the FEC).

Examples

```
## Not run:  
get_independent_expenditure_by_date(2016, year = 2018, month = '01', day = '01')  
  
## End(Not run)
```

```
get_independent_expenditure_office_totals
```

Get Independent Expenditure Office Totals

Description

HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/independent_expenditures/race_totals/office

Usage

```
get_independent_expenditure_office_totals(  
    cycle = 2018,  
    office = c("house", "senate", "president"),  
    page = 1,  
    myAPI_Key  
)
```

Arguments

cycle	The election cycle
office	one of house, senate or president
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the amount of money spent in independent expenditures for a given office (either House, Senate or President).

Examples

```
## Not run:  
get_independent_expenditure_office_totals(2016, 'president')  
get_independent_expenditure_office_totals(2016, 'house')  
get_independent_expenditure_office_totals(2016, 'senate')  
  
## End(Not run)
```

```
get_independent_expenditure_race_totals_committee
    Get Independent Expenditure Office Totals
```

Description

HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id/independent_expenditures/rac

Usage

```
get_independent_expenditure_race_totals_committee(  
    cycle,  
    FEC_ID,  
    page = 1,  
    myAPI_Key  
)
```

Arguments

cycle	The election cycle
FEC_ID	The FEC-assigned 9-character ID of a committee
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

list of returned JSON from endpoint that retrieves the total amounts of money that a given committee has spent on individual races (consisting of a state, office and district) during a cycle.

Examples

```
## Not run:  
get_independent_expenditure_race_totals_committee(2016, 'C00490375')  
  
## End(Not run)
```

```
get_independent_expenditure_support_candidate
    Get Independent Expenditures that Support or Oppose a Specific Candidate
```

Description

#HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/candidates/fec-id/independent_expenditures

Usage

```
get_independent_expenditure_support_candidate(  
    cycle = 2018,  
    FEC_ID,  
    page = 1,  
    myAPI_Key  
)
```

Arguments

cycle	The election cycle
FEC_ID	The FEC-assigned 9-character ID of a committee. To find a committee official FEC ID, use a candidate search request or the FEC web site.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 200 most recent independent expenditures in support of or opposition to a given candidate.

Examples

```
## Not run:  
get_independent_expenditure_support_candidate(2016, FEC_ID = 'P00003392')  
  
## End(Not run)
```

get_independent_expenditure_support_presidential_candidate
Get Independent Expenditures that Support or Oppose Presidential Candidates

Description

#HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/president/independent_expenditures

Usage

```
get_independent_expenditure_support_presidential_candidate(
    cycle = 2018,
    page = 1,
    myAPI_Key
)
```

Arguments

cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 200 most recent independent expenditures in support of or opposition to any presidential candidate.

Examples

```
## Not run:
get_independent_expenditure_support_presidential_candidate(2016)

## End(Not run)
```

get_lobbyist_bundlers *Get Lobbyist Bundlers for a Specific Committee*

Description

Committees must report registered lobbyists who act as “bundlers”, collecting donations for the committee from multiple contributors. HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id/lobbyist_bundlers

Usage

```
get_lobbyist_bundlers(cycle = 2018, FEC_ID, page = 1, myAPI_Key)
```

Arguments

cycle	The election cycle
FEC_ID	The FEC-assigned 9-character ID of a committee. To find a committee's official FEC ID, use a committee search request or the FEC web site.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the most recent lobbyist bundlers reported by a specific committee.

Examples

```
## Not run:
get_lobbyist_bundlers(2016, 'C00579458')

## End(Not run)
```

get_members_leaving *Get Members Leaving Office*

Description

To get a list of members who have left the Senate or House or have announced plans to do so. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/chamber/members/leaving.json>

Usage

```
get_members_leaving(congress, chamber, page = 1, myAPI_Key)
```

Arguments

congress	111-116
chamber	house or senate
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves a list of members who have left the Senate or House

Examples

```
## Not run:
get_members_leaving(115, 'house')

## End(Not run)
```

`get_member_vote_position`

Get a Specific Member's Vote Positions

Description

To get the most recent vote positions for a specific member of the House of Representatives or Senate. HTTP Request: GET <https://api.propublica.org/congress/v1/members/member-id/votes.json>

Usage

```
get_member_vote_position(member_id, page = 1, myAPI_Key)
```

Arguments

<code>member_id</code>	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
<code>page</code>	Results come in batches of 20. The page parameter specifies which one to retrieve.
<code>myAPI_Key</code>	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the most recent vote positions for a specific member of the House of Representatives or Senate

Examples

```
## Not run:
get_member_vote_position('K000388')

## End(Not run)
```

get_new_members	<i>Get New Members</i>
-----------------	------------------------

Description

To get a list of the most recent new members of the current Congress. HTTP Request: GET <https://api.propublica.org/congress/v1/members/new.json>

Usage

```
get_new_members(page = 1, myAPI_Key)
```

Arguments

page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves a list of the most recent new members of the current Congress

Examples

```
## Not run:  
get_new_members()  
  
## End(Not run)
```

get_nominees_by_state	<i>Get Nominees by State</i>
-----------------------	------------------------------

Description

To get a list of presidential civilian nominations of individuals from a specific state, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/nominees/state/state.json>

Usage

```
get_nominees_by_state(congress, state, page = 1, myAPI_Key)
```

Arguments

congress	107-116
state	Two-letter state abbreviation
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves

Examples

```
## Not run:
get_nominees_by_state(115, 'VA')

## End(Not run)
```

```
get_quarter_office_expenses_by_category_house_member
```

Get Quarterly Office Expenses by Category for a Specific House Member

Description

The House of Representatives publishes quarterly reports detailing official office expenses by lawmakers. The Congress API has data beginning in the third quarter of 2009. HTTP Request: GET https://api.propublica.org/congress/v1/members/member-id/office_expenses/year/quarter.json

Usage

```
get_quarter_office_expenses_by_category_house_member(
  member_id,
  category,
  page = 1,
  myAPI_Key
)
```

Arguments

member_id	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
category	travel or personnel or rent-utilities or other-services or supplies or franked-mail or printing or equipment or total.

page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

the amount a given lawmaker spent during a specified year and quarter in a specified category

Examples

```
## Not run:
get_quarter_office_expenses_by_category_house_member('A000374', 'travel')

## End(Not run)
```

```
get_quarter_office_expenses_house_member
```

Get Quarterly Office Expenses by a Specific House Member

Description

The House of Representatives publishes quarterly reports detailing official office expenses by lawmakers. The Congress API has data beginning in the third quarter of 2009. HTTP Request: GET https://api.propublica.org/congress/v1/members/member-id/office_expenses/year/quarter.json

Usage

```
get_quarter_office_expenses_house_member(
  member_id,
  year,
  quarter,
  page = 1,
  myAPI_Key
)
```

Arguments

member_id	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.1
year	2009-2017
quarter	1,2,3,4
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

the amount a given lawmaker spent during a specified year and quarter by category,

Examples

```
## Not run:  
get_quarter_office_expenses_house_member('A000374', 2017, 4)  
  
## End(Not run)
```

get_races_for_state *Get all Candidates in a State for an Election Cycle*

Description

Get all Candidates in a State for an Election Cycle

Usage

```
get_races_for_state(state, cycle = 2018)
```

Arguments

state	The State (US) of the election
cycle	Which election cycle (e.g. 2018)

Value

the result of the API call.

Examples

```
## Not run:  
get_races_for_state('DE')  
get_races_for_state('DE', 2016)  
  
## End(Not run)
```

```
get_recently_added_independent_expenditure_committees
    Get Recently Added Independent Expenditure-Only Committees.
```

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/committees/superpacs>

Usage

```
get_recently_added_independent_expenditure_committees(
    cycle = 2018,
    page = 1,
    myAPI_Key
)
```

Arguments

cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recently added FEC independent expenditure-only committees, known as “super PACs”.

Examples

```
## Not run:
get_recently_added_independent_expenditure_committees(2016)

## End(Not run)
```

```
get_recently_candidates
    Get Top 20 Candidates in Specific Financial Category HTTP Request: GET
    https://api.propublica.org/campaign-finance/v1/cycle/candidates/new
    (https://www.propublica.org/datastore/apis)
```

Description

Get Top 20 Candidates in Specific Financial Category

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/candidates/new> (<https://www.propublica.org/data>)

Usage

```
get_recently_candidates(cycle = 2018, page = 1, myAPI_Key)
```

Arguments

cycle	The election cycle: Four-digit even-numbered year between 2010 and 2018
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of the most recently added FEC candidates for a given campaign cycle from the campaign-finance API from ProPublica.

Examples

```
## Not run:
get_recently_candidates(2016)

## End(Not run)
```

```
get_recently_committees
```

Get Recently Added Committees.

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/committees/new>

Usage

```
get_recently_committees(cycle = 2018, page = 1, myAPI_Key)
```

Arguments

cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recently added FEC committees from the campaign-finance API from ProPublica.

Examples

```
## Not run:  
get_recently_committees(2016)  
  
## End(Not run)
```

get_recent_amendments *Get Recent Amendments*

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/filings/amendments>

Usage

```
get_recent_amendments(cycle = 2018, page = 1, myAPI_Key)
```

Arguments

- | | |
|-----------|--|
| cycle | The election cycle |
| page | Results come in batches of 20. The page parameter specifies which one to retrieve. |
| myAPI_Key | API key from Propublica To use the congress API, you must sign up for an API key. |

Value

List of returned JSON from endpoint that retrieves the most recent filings that are amendments of earlier filings

Examples

```
## Not run:  
get_recent_amendments(2016)  
  
## End(Not run)
```

get_recent_committee_hearing

Get Recent Committee Hearings

Description

To get a list of 20 upcoming Senate or House committee meetings, use the following function.
HTTP Request: GET <https://api.propublica.org/congress/v1/congress/committees/hearings.json>

Usage

```
get_recent_committee_hearing(congress, page = 1, myAPI_Key)
```

Arguments

congress	114-116
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports pagination using multiples of 20.

Examples

```
## Not run:  
get_recent_committee_hearing(115)  
  
## End(Not run)
```

get_recent_congressional_statements

Get Recent Congressional Statements

Description

To get lists of recent statements published on congressional websites, use the following function.
HTTP Request: GET <https://api.propublica.org/congress/v1/statements/latest.json>

Usage

```
get_recent_congressional_statements(page = 1, myAPI_Key)
```

Arguments

page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports pagination using multiples of 20.

Examples

```
## Not run:
get_recent_congressional_statements()

## End(Not run)
```

```
get_recent_congressional_statements_by_date
      Get Congressional Statements by Date
```

Description

To get lists of statements published on congressional websites on a particular date, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/statements/date/date.json>

Usage

```
get_recent_congressional_statements_by_date(
  year,
  month,
  day,
  page = 1,
  myAPI_Key
)
```

Arguments

year	YYYY format
month	MM format
day	DD format
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports pagination using multiples of 20.

Examples

```
## Not run:
get_recent_congressional_statements_by_date(2017, '05', '08')

## End(Not run)
```

```
get_recent_congressional_statements_by_term
    Get Congressional Statements by Search Term
```

Description

To get lists of statements published on congressional websites using a search term, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/statements/search.json?query=term>

Usage

```
get_recent_congressional_statements_by_term(term, page = 1, myAPI_Key)
```

Arguments

term	search term
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results that contain the search term in the title or body of the statement and supports pagination using multiples of 20.

Examples

```
## Not run:
get_recent_congressional_statements_by_term('AHCA')

## End(Not run)
```

get_recent_electioneering_communications
Get Recent Electioneering Communications

Description

HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/electioneering_communications

Usage

```
get_recent_electioneering_communications(cycle = 2018, page = 1, myAPI_Key)
```

Arguments

cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent broadcast advertisements that identify one or more federal candidates (and have aired 30 days before a primary election and 60 days before the general election).

Examples

```
## Not run:  
get_recent_electioneering_communications(2016)  
  
## End(Not run)
```

get_recent_house_senate_floor_actions
Get Recent House and Senate Floor Actions

Description

To get the latest actions from the House or Senate floor, use the following function. HTTP Request: GET https://api.propublica.org/congress/v1/congress/chamber/floor_updates.json

Usage

```
get_recent_house_senate_floor_actions(congress, chamber, page = 1, myAPI_Key)
```

Arguments

congress	114-116 for House, 96-116 for Senate
chamber	house or senate
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports pagination using multiples of 20. The date attribute represents the “legislative day” in which the action took place (actions that occur after midnight often are part of the previous day’s activity).

Examples

```
## Not run:
get_recent_house_senate_floor_actions(115, 'house')

## End(Not run)
```

```
get_recent_independent_expend
      Get Recent Independent Expenditures
```

Description

HTTP Request: GET https://api.propublica.org/campaign-finance/v1/cycle/independent_expenditures

Usage

```
get_recent_independent_expend(cycle = 2018, page = 1, myAPI_Key)
```

Arguments

cycle	The election cycle @return List of returned JSON from endpoint that retrieves the 200 most recent independent expenditures and optionally can be offset by multiples of 20.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Examples

```
## Not run:  
get_recent_independent_expend(2016)  
  
## End(Not run)
```

get_recent_late_contributions

*Get Recent Late Contributions <https://www.propublica.org/datastore/apis>
HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/contributions/48hour>*

Description

Get Recent Late Contributions <https://www.propublica.org/datastore/apis> HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/contributions/48hour>

Usage

```
get_recent_late_contributions(cycle = 2018, page = 1, myAPI_Key)
```

Arguments

cycle	The election cycle. Cycle must be even-numbered year between 2010 and 2018
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the most recent late contributions to candidates from the campaign-finance API from ProPublica.

Examples

```
## Not run:  
get_recent_late_contributions(2016)  
  
## End(Not run)
```

```
get_recent_late_contributions_candidate
```

Get Recent Late Contributions to a Specific Candidate
<https://www.propublica.org/datastore/apis> HTTP Request: GET
<https://api.propublica.org/campaign-finance/v1/cycle/candidates/fec-id/48hour>

Description

Get Recent Late Contributions to a Specific Candidate <https://www.propublica.org/datastore/apis>
HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/candidates/fec-id/48hour>

Usage

```
get_recent_late_contributions_candidate(  
    cycle = 2018,  
    FEC_ID,  
    page = 1,  
    myAPI_Key  
)
```

Arguments

cycle	The election cycle
FEC_ID	The FEC-assigned 9-character ID of a candidate.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the most recent late contributions to candidates from the campaign-finance API from ProPublica.

Examples

```
## Not run:  
get_recent_late_contributions_candidate(2016, 'H4NY11138')  
  
## End(Not run)
```

```
get_recent_late_contributions_committee
```

Get Recent Late Contributions to a Specific Committee
<https://www.propublica.org/datastore/apis> HTTP Request: GET
<https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id/48hour>

Description

Get Recent Late Contributions to a Specific Committee <https://www.propublica.org/datastore/apis>
HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/committees/fec-id/48hour>

Usage

```
get_recent_late_contributions_committee(  
  cycle = 2018,  
  FEC_ID,  
  page = 1,  
  myAPI_Key  
)
```

Arguments

cycle	The election cycle
FEC_ID	The FEC-assigned 9-character ID of a committee.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the most recent late contributions to a specific committee.

Examples

```
## Not run:  
get_recent_late_contributions_committee(2016, 'C00575050')  
  
## End(Not run)
```

`get_recent_late_contributions_date`*Get Recent Late Contributions by Date*

Description

HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/contributions/48hour/year/month/day>

Usage

```
get_recent_late_contributions_date(  
  cycle = 2018,  
  year,  
  month,  
  day,  
  page = 1,  
  myAPI_Key  
)
```

Arguments

cycle	The election cycle
year	The four-digit year from 2010-2018, match cycle
month	The two-digit month from 01-12
day	The two-digit day from 01-31
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves late contributions from a specific dates for a given campaign cycle from the campaign-finance API from ProPublica.

Examples

```
## Not run:  
get_recent_late_contributions_date(2016, year = 2016, month = '09', day = '07')  
  
## End(Not run)
```

get_recent_lobbying_representation_filings
Get Recent Lobbying Representation filings

Description

To get the 20 most recent lobbying representation filings, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/lobbying/latest.json>

Usage

```
get_recent_lobbying_representation_filings(page = 1, myAPI_Key)
```

Arguments

page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent lobbying representation filings.

Examples

```
## Not run:  
get_recent_lobbying_representation_filings()  
  
## End(Not run)
```

get_recent_nominations_by_category
Get Recent Nominations by Category

Description

To get lists of presidential nominations for civilian positions,, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/nominees/type.json>

Usage

```
get_recent_nominations_by_category(congress, type, page = 1, myAPI_Key)
```

Arguments

congress	107-116
type	received, updated, confirmed, withdrawn
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results for the specified type: received, updated, confirmed or withdrawn.

Examples

```
## Not run:
get_recent_nominations_by_category(115, 'confirmed')

## End(Not run)
```

```
get_recent_official_communications
```

Get Recent Official Communications

Description

To get lists of official communications to Congress from the president, executive branch agencies and state legislatures to congressional committees, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/communications.json>

Usage

```
get_recent_official_communications(congress, page = 1, myAPI_Key)
```

Arguments

congress	114-116 for House, 96-116 for Senate
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent official communications to Congress from the president, executive branch agencies and state legislatures to congressional committees. The data covers communications to the House of Representatives since 2015, and communications to the Senate since 1979.

Examples

```
## Not run:  
get_recent_official_communications(115)  
  
## End(Not run)
```

```
get_recent_official_communications_by_category  
Get Recent Official Communications by Category
```

Description

Get lists of official communications to Congress from the president, executive branch agencies and state legislatures to congressional committees.

Usage

```
get_recent_official_communications_by_category(  
  congress,  
  category,  
  page = 1,  
  myAPI_Key  
)
```

Arguments

congress	114-116 for House, 96-116 for Senate
category	ec, pm, pom
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results for the specified type: ec (Executive Communication), pm (Presidential Message) or pom (Petition or Memorial).

Examples

```
## Not run:  
get_recent_official_communications_by_category(115, 'pm')  
  
## End(Not run)
```

`get_recent_official_communications_by_chamber`*Get Recent Official Communications by Chamber*

Description

To get lists of official communications to Congress for a specific chamber, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/chamber/committees/committee-id/subcommittees/subcommittee-id.json>

Usage

```
get_recent_official_communications_by_chamber(  
    congress,  
    chamber,  
    page = 1,  
    myAPI_Key  
)
```

Arguments

<code>congress</code>	114-116 for House, 96-116 for Senate
<code>chamber</code>	house or senate
<code>page</code>	Results come in batches of 20. The page parameter specifies which one to retrieve.
<code>myAPI_Key</code>	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent official communications to Congress for a specific chamber for the specified chamber, either house or senate.

Examples

```
## Not run:  
get_recent_official_communications_by_chamber(115, 'house')  
  
## End(Not run)
```

`get_recent_official_communications_by_date`*Get Recent Official Communications by Date*

Description

o get lists of official communications to Congress on a specific date, use the following function.

HTTP Request: GET <https://api.propublica.org/congress/v1/congress/communications/category/category.json>

Usage

```
get_recent_official_communications_by_date(  
    year,  
    month,  
    day,  
    page = 1,  
    myAPI_Key  
)
```

Arguments

year	yyyy format
month	mm format
day	dd format
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results for the specified type: ec (Executive Communication), pm (Presidential Message) or pom (Petition or Memorial).

Examples

```
## Not run:  
get_recent_official_communications_by_date(2018, '03', '21')  
  
## End(Not run)
```

 get_recent_personal_explanations

Get Recent Personal Explanations

Description

Lawmakers, mostly in the House but also in the Senate, can make personal explanations for missed or mistaken votes in the Congressional Record. These explanations can refer to a single vote or to multiple votes. To get lists of personal explanations, use the following URI structure. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/explanations.json>

Usage

```
get_recent_personal_explanations(congress, page = 1, myAPI_Key)
```

Arguments

congress	101-116
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results in the specified Congress

Examples

```
## Not run:
get_recent_personal_explanations(114)

## End(Not run)
```

 get_recent_personal_explanations_specific_member

Get Recent Personal Explanations by a Specific Members

Description

Lawmakers, mostly in the House but also in the Senate, can make personal explanations for missed or mistaken votes in the Congressional Record. HTTP Request: GET <https://api.propublica.org/congress/v1/members/members>

Usage

```
get_recent_personal_explanations_specific_member(
    member_id,
    congress,
    page = 1,
    myAPI_Key
)
```

Arguments

member_id	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
congress	110-116
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent personal explanations by a specific member in the specified Congress, and supports paginated requests using multiples of 20.

Examples

```
## Not run:
get_recent_personal_explanations_specific_member('S001193', 115)

## End(Not run)
```

```
get_recent_personal_explanations_votes
```

Get Recent Personal Explanation Votes

Description

Lawmakers, mostly in the House but also in the Senate, can make personal explanations for missed or mistaken votes in the Congressional Record. Unlike the “Recent Personal Explanations” response, this response contains explanations parsed to individual votes and have an additional category attribute describing the general reason for the absence or incorrect vote. To get lists of recent personal explanation votes, use the following URI structure. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/votes/personal-explanations>

Usage

```
get_recent_personal_explanations_votes(congress, page = 1, myAPI_Key)
```

Arguments

congress	101-116
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent personal explanation votes in the specified Congress, contains explanations parsed to individual votes and have an additional category attribute describing the general reason for the absence or incorrect vote.

Examples

```
## Not run:
get_recent_personal_explanations_votes(114)

## End(Not run)
```

```
get_recent_personal_explanations_votes_by_category
Get Recent Personal Explanation Votes by Category
```

Description

Lawmakers, mostly in the House but also in the Senate, can make personal explanations for missed or mistaken votes in the Congressional Record. Unlike the “Recent Personal Explanations” response, this response contains explanations parsed to individual votes and have an additional category attribute describing the general reason for the absence or incorrect vote. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/explanations/votes/category.json>

Usage

```
get_recent_personal_explanations_votes_by_category(
  congress,
  category,
  page = 1,
  myAPI_Key
)
```

Arguments

congress	101-116
----------	---------

category	options: voted-incorrectly (Voted yes or no by mistake), official-business (Away on official congressional business), ambiguous (No reason given), travel-difficulties (Travel delays and issues), personal (Personal or family reason), claims-voted (Vote made but not recorded), medical (Medical issue for lawmaker, not family), weather, memorial, misunderstanding, leave-of-absence, prior-commitment, election-related, military-service, other
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent personal explanation votes filtered by a category in the specified Congress.

Examples

```
## Not run:  
get_recent_personal_explanations_votes_by_category(115, 'voted-incorrectly')  
  
## End(Not run)
```

get_recent_personal_explanations_votes_specific_member

Get Recent Personal Explanation Votes by a Specific Member

Description

Lawmakers, mostly in the House but also in the Senate, can make personal explanations for missed or mistaken votes in the Congressional Record. To get recent personal explanations by a specific member that are parsed to individual votes and have an additional category attribute describing the general reason for the absence or incorrect vote, use the following function. HTTP Request: GET https://api.propublica.org/congress/v1/members/member_id/explanations/congress/votes.json

Usage

```
get_recent_personal_explanations_votes_specific_member(  
    member_id,  
    congress,  
    page = 1,  
    myAPI_Key  
)
```

Arguments

member_id	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
congress	110-116
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent personal explanations by a specific member in the specified Congress, and supports paginated requests using multiples of 20.

Examples

```
## Not run:
get_recent_personal_explanations_votes_specific_member('S001193', 115)

## End(Not run)
```

```
get_recent_personal_explanations_votes_specific_member_by_category
    Get Recent Personal Explanation Votes by a Specific Member by Category
```

Description

Lawmakers, mostly in the House but also in the Senate, can make personal explanations for missed or mistaken votes in the Congressional Record. To get recent personal explanations by a specific member that are parsed to individual votes and have an additional category attribute describing the general reason for the absence or incorrect vote, use the following function. HTTP Request: GET https://api.propublica.org/congress/v1/members/member_id/explanations/congress/votes.json

Usage

```
get_recent_personal_explanations_votes_specific_member_by_category(
  member_id,
  congress,
  category,
  page = 1,
  myAPI_Key
)
```

Arguments

member_id	The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
congress	110-116
category	options: voted-incorrectly (Voted yes or no by mistake), official-business (Away on official congressional business), ambiguous (No reason given), travel-difficulties (Travel delays and issues), personal (Personal or family reason), claims-voted (Vote made but not recorded), medical (Medical issue for lawmaker, not family), weather, memorial, misunderstanding, leave-of-absence, prior-commitment, election-related, military-service, other
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent personal explanations by a specific member in the specified Congress, and supports paginated requests using multiples of 20.

Examples

```
## Not run:
get_recent_personal_explanations_votes_specific_member_by_category('S001193', 115, 'personal')

## End(Not run)
```

get_recent_votes	<i>Get Recent Votes</i>
------------------	-------------------------

Description

You can get recent votes from the House, Senate or both chambers using this request. This request returns the 20 most recent results, sorted by date and roll call number, and you can paginate through votes using the offset querystring parameter that accepts multiples of 20. HTTP Request: GET <https://api.propublica.org/congress/v1/chamber/votes/recent.json>

Usage

```
get_recent_votes(chamber, page = 1, myAPI_Key)
```

Arguments

chamber	house, senate or both.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent votes from the House, Senate or both chambers

Examples

```
## Not run:
get_recent_votes('senate')

## End(Not run)
```

get_related_bills	<i>Get Related Bills for a Specific Bill</i>
-------------------	--

Description

HTTP Request: GET <https://api.propublica.org/congress/v1/congress/bills/bill-id/related.json>. Use this request type to get Library of Congress-identified related bills for a particular bill.

Usage

```
get_related_bills(congress, bill_id, page = 1, myAPI_Key)
```

Arguments

congress	105-116
bill_id	a bill slug, for example hr4881 - these can be found in the recent bill response.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports paginated requests.

Examples

```
## Not run:
get_related_bills(115, 'hr3219')

## End(Not run)
```

```
get_senate_nomination_votes
    Get Senate Nomination Votes
```

Description

To get Senate votes on presidential nominations. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/nominations>

Usage

```
get_senate_nomination_votes(congress, page = 1, myAPI_Key)
```

Arguments

congress	101-116
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves Senate votes on presidential nominations

Examples

```
## Not run:
get_senate_nomination_votes(114)

## End(Not run)
```

```
get_specific_bill    Get a Specific Bill
```

Description

The attributes `house_passage_vote` and `senate_passage_vote` are populated (with the date of passage) only upon successful passage of the bill. Bills before the 113th Congress (prior to 2013) have fewer attribute values than those from the 113th Congress onward, because the more recent bill data comes from the bulk data provided by the Government Publishing Office. Details for the older bills came from scraping Thomas.gov, the former congressional site of the Library of Congress. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/bills/bill-id.json>

Usage

```
get_specific_bill(congress, bill_id, page = 1, myAPI_Key)
```

Arguments

congress	105-116
bill_id	a bill slug, for example hr4881 - these can be found in the recent bill response.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves details about a particular bill, including actions taken and votes

Examples

```
## Not run:
get_specific_bill(115, 'hr21')

## End(Not run)
```

```
get_specific_bill_subject
    Get a Specific Bill Subject
```

Description

Use this request type to search for bill subjects that contain a specified term. HTTP Request: GET <https://api.propublica.org/congress/v1/bills/subjects/search.json>

Usage

```
get_specific_bill_subject(subject, page = 1, myAPI_Key)
```

Arguments

subject	a word or phrase to search
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves bill subjects that contain a specified term.

Examples

```
## Not run:
get_specific_bill_subject('meat')

## End(Not run)
```

```
get_specific_committee
    Get a Specific Committee
```

Description

To get information about a single Senate or House committee, including the members of that committee, use the following function. The committee ids can be found in the committee list responses. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/chamber/committees/committee-id.json>

Usage

```
get_specific_committee(congress, chamber, committee_id, page = 1, myAPI_Key)
```

Arguments

congress	110-116
chamber	house, senate or joint
committee_id	Committee abbreviation, for example HSAG. Use the full committees response to find abbreviations.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports pagination using multiples of 20.

Examples

```
## Not run:
get_specific_committee(115, "senate",
  lists_of_committees(115, "senate")$results[[1]]$committees[[1]]$id)

get_specific_committee(115, "senate", "SSAF")

## End(Not run)
```

get_specific_lobbying_representation_filings
Get a Specific Lobbying Representation filing

Description

To get a specific lobbying representation filing, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/lobbying/id.json>

Usage

```
get_specific_lobbying_representation_filings(id, page = 1, myAPI_Key)
```

Arguments

id	numeric id attribute from search or latest responses
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves

Examples

```
## Not run:
get_specific_lobbying_representation_filings('300986302')

## End(Not run)
```

get_specific_nominations
Get a Specific Nomination

Description

To get details about a particular presidential civilian nomination,, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/nominees/nominee-id.json>

Usage

```
get_specific_nominations(congress, nominee_id, page = 1, myAPI_Key)
```

Arguments

congress	107-116
nominee_id	alphanumeric ID beginning with PN - for example, PN675
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves

Examples

```
## Not run:
get_specific_nominations(115, 'PN40')

## End(Not run)
```

```
get_specific_roll_call_vote
    Get a Specific Roll Call Vote
```

Description

To get a specific roll-call vote, including a complete list of member positions. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/chamber/sessions/session-number/votes/roll-call-number.json>

Usage

```
get_specific_roll_call_vote(
  congress,
  chamber = c("house", "senate"),
  session_number,
  roll_call_number,
  page = 1,
  myAPI_Key
)
```

Arguments

congress	102-116 for House, 80-116 for Senate
chamber	house or senate
session_number	1 or 2, depending on year (1 is odd-numbered years, 2 is even-numbered years) passed (latest_major_action_date), enacted (enacted), vetoed (vetoed).

roll_call_number	integer
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves a specific roll-call vote s

Examples

```
## Not run:
get_specific_roll_call_vote(115, 'senate', 1, 17L)

## End(Not run)
```

```
get_specific_subcommittee
Get a Specific Subcommittee
```

Description

To get information about a single Senate or House subcommittee, including the members of that subcommittee, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/chamber/congress-id/subcommittees/subcommittee-id.json>

Usage

```
get_specific_subcommittee(
  congress,
  chamber,
  committee_id,
  subcommittee_id,
  page = 1,
  myAPI_Key
)
```

Arguments

congress	114-116
chamber	house or senate or joint
committee_id	Optional committee abbreviation, for example HSAG. Use the full committees response to find abbreviations.

subcommittee_id	Optional sub-committee abbreviation, for example HSAG. Use the full committees response to find abbreviations.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent hearings and supports pagination.

Examples

```
## Not run:
get_specific_subcommittee(115, 'house', 'HSAS', 'HSAS28')
get_specific_subcommittee(115, 'house',
lists_of_committees(115, "senate")$results[[1]]$committees[[2]]$id,
lists_of_committees(115, "senate")$results[[1]]$committees[[2]]$subcommittees[[1]]$id)

## End(Not run)
```

get_statement_subjects

Get Statement Subjects

Description

Get lists of subjects used to categorize congressional statements, use the following function. These subjects are not automatically assigned but are manually curated by ProPublica, although they are based on legislative subjects produced by the Library of Congress.

Usage

```
get_statement_subjects(page = 1, myAPI_Key)
```

Arguments

page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves all of the subjects that have been used at least once.

Examples

```
## Not run:  
get_statement_subjects()  
  
## End(Not run)
```

get_state_party_counts

Get State Party Counts

Description

To get party membership counts for all states (current Congress only), use the following function.
HTTP Request: GET <https://api.propublica.org/congress/v1/states/members/party.json>

Usage

```
get_state_party_counts(page = 1, myAPI_Key)
```

Arguments

page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves

Examples

```
## Not run:  
get_state_party_counts()  
  
## End(Not run)
```

get_subjects_for_bill *Get Subjects for a Specific Bill*

Description

HTTP Request: GET <https://api.propublica.org/congress/v1/congress/bills/bill-id/subjects.json>. Use this request type to get Library of Congress-assigned subjects about a particular bill.

Usage

```
get_subjects_for_bill(congress, bill_id, page = 1, myAPI_Key)
```

Arguments

congress	105-116
bill_id	a bill slug, for example hr4881 - these can be found in the recent bill response.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports paginated requests.

Examples

```
## Not run:  
get_subjects_for_bill(115, 'hr1628')  
  
## End(Not run)
```

get_top20_candidate_of_FinancialCategory
Get Top 20 Candidates in Specific Financial Category

Description

<https://www.propublica.org/datastore/apis> HTTP Request: GET <https://api.propublica.org/campaign-finance/v1/cycle/candidates/leaders/category>

Usage

```

get_top20_candidate_of_FinancialCategory(
    category,
    cycle = 2018,
    page = 1,
    myAPI_Key
)

```

Arguments

category	One of the values from the following categories: 'candidate-loan', 'contribution-total', 'debts-owed', 'disbursements-total', 'end-cash', 'individual-total', 'pac-total', 'receipts-total' and 'refund-total'.
cycle	The election cycle
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves a specific FEC candidate for a given campaign cycle.

Examples

```

## Not run:
get_top20_candidate_of_FinancialCategory('pac-total', 2016)

## End(Not run)

```

get_upcoming_bills *Get Upcoming Bills*

Description

The responses include a legislative_day attribute which is the earliest the bills could be considered and a range attribute that indicates whether the bill information comes from a weekly schedule or a daily one. Combine the two for the best sense of when a bill might come up for consideration. For Senate bills, the response includes a context attribute reproducing the sentence that includes mention of the bill. These responses omit bills that have not yet been assigned a bill number or introduced, and additional bills may be considered at any time. HTTP Request: GET <https://api.propublica.org/congress/v1/bills/upcoming/chamber.json>

Usage

```

get_upcoming_bills(chamber, page = 1, myAPI_Key)

```

Arguments

chamber	house or senate.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves details on bills that may be considered by the House or Senate in the near future, based on scheduled published or announced by congressional leadership.

Examples

```
## Not run:
get_upcoming_bills('senate')

## End(Not run)
```

get_votes_by_date	<i>Get Votes by Date</i>
-------------------	--------------------------

Description

HTTP Requests: GET <https://api.propublica.org/congress/v1/chamber/votes/year/month.json>

Usage

```
get_votes_by_date(
  chamber = c("house", "senate"),
  year,
  month,
  page = 1,
  myAPI_Key
)
```

Arguments

chamber	house or senate
year	YYYY format
month	MM format
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves all votes for one or both chambers in a particular month s

Examples

```
## Not run:
get_votes_by_date('house', 2018, '09')

## End(Not run)
```

```
get_votes_by_date_range
```

Get Votes by date range

Description

HTTP Requests: GET <https://api.propublica.org/congress/v1/chamber/votes/start-date/end-date.json>

Usage

```
get_votes_by_date_range(
  chamber = c("house", "senate"),
  start_date,
  end_date,
  page = 1,
  myAPI_Key
)
```

Arguments

chamber	house or senate
start_date	YYYY-MM-DD format
end_date	YYYY-MM-DD format
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves all votes in a particular date range (fewer than 30 days) s

Examples

```
## Not run:
get_votes_by_date_range('house', '2017-01-03', '2017-01-31')

## End(Not run)
```

get_votes_by_type *Get Votes by Type*

Description

You can get vote information in four categories: missed votes, party votes, lone no votes and perfect votes. Missed votes provides information about the voting attendance of each member of a specific chamber and congress. Party votes provides information about how often each member of a specific chamber and congress votes with a majority of his or her party. Lone no votes provides information lists members in a specific chamber and congress who were the only members to vote No on a roll call vote, and how often that happened. Perfect votes lists members in a specific chamber and congress who voted Yes or No on every vote for which he or she was eligible. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/chamber/votes/vote-type.json>

Usage

```
get_votes_by_type(
  congress,
  chamber = c("house", "senate"),
  vote_type,
  page = 1,
  myAPI_Key
)
```

Arguments

congress	102-116 for House, 80-116 for Senate
chamber	house or senate
vote_type	missed, party, loneno or perfect
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves a types of votes of each member of a specific chamber and congress. s

Examples

```
## Not run:  
get_votes_by_type(114, 'house', 'missed')  
  
## End(Not run)
```

lists_of_committees *Lists of Committees*

Description

To get a list of Senate, House or joint committees, including their subcommittees, use the following function. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/chamber/committees.json>

Usage

```
lists_of_committees(congress, chamber, page = 1, myAPI_Key)
```

Arguments

congress	110-116
chamber	house, senate or joint
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recent results and supports pagination using multiples of 20.

Examples

```
## Not run:  
lists_of_committees(115, "senate")  
  
## End(Not run)
```

 list_members_chamber_congress

To get a list of members of a particular chamber in a particular Congress

Description

The results include all members who have served in that congress and chamber, including members who are no longer in office. HTTP Request: GET <https://api.propublica.org/congress/v1/congress/chamber/members.json>

Usage

```
list_members_chamber_congress(congress, chamber, page = 1, myAPI_Key)
```

Arguments

congress	102-118 for House, 80-118 for Senate
chamber	house or senate
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

list of members of a particular chamber in a particular Congress

Examples

```
## Not run:
list_members_chamber_congress(115, 'senate')

## End(Not run)
```

 pp_convert_to_data_frame

Convert a ProPublica API result a Data Frame

Description

The function attempts to convert the result of a ProPublica API call to a data.frame. If the result of the API call contains various parts, the which_part parameter can be used to specify for which of these the conversion is required. Typically the 'payload' resides in the 'results' field, which is the default, but occasionally the summary and meta fields might be of interest.

Usage

```
pp_convert_to_data_frame(what, which_part = c("result", "summary", "meta"))
```

Arguments

what	Return value from one of the get_ functions.
which_part	Which part are we converting. Defaults to 'results', but 'summary' and 'meta' may be useful in some cases.

Details

The function also replaces . (dot) with _ (underscore) in column names for compatibility with database inserts (e.g. DBI::dbWriteTable)

Value

a data.frame

Examples

```
## Not run:  
tmp <- get_candidates_in_race('MI', 'house', 11)  
pp_convert_to_data_frame(tmp)  
pp_convert_to_data_frame(tmp, 'summary')  
  
## End(Not run)
```

pp_query

Execute a query against the ProPublica API

Description

This function is primarily meant to be used by other functions in the package, but is made available in case a "raw query" is required.

Usage

```
pp_query(  
  query,  
  API = c("campaign-finance", "congress"),  
  version = "v1",  
  page = 1,  
  myAPI_Key  
)
```


Arguments

query	The query to be executed
API	Which API are you accessing
version	API version. Currently v1.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

a list object with the return values.

Examples

```
## Not run:
pp_query('115/bills/hr21.json', API = 'congress', version='v1')
pp_query('2018/races/MI/house/11.json', API='campaign-finance',version='v1')

## End(Not run)
```

recent_bills_by_member

Get Recent Bills by a Specific Member

Description

Use this request type to get the 20 bills most recently introduced or updated by a particular member.

Results can include more than one Congress. HTTP Request: GET <https://api.propublica.org/congress/v1/members/member-id/bills/type.json>

Usage

```
recent_bills_by_member(member_id, type, page = 1, myAPI_Key)
```

Arguments

member_id	member-id The ID of the member to retrieve; it is assigned by the Biographical Directory of the United States Congress or can be retrieved from a member list request.
type	introduced or updated
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

the 20 bills most recently introduced or updated by a particular member. Results can include more than one Congress.

Examples

```
## Not run:
recent_bills_by_member('L000287', 'introduced')

## End(Not run)
```

recent_bills_by_subject

Get Recent Bills by a Specific Subject

Description

Use this request type to get the 20 most recently updated bills for a specific legislative subject. Results can include more than one Congress. HTTP Request: GET <https://api.propublica.org/congress/v1/bills/subjects/subject.t>

Usage

```
recent_bills_by_subject(subject, page = 1, myAPI_Key)
```

Arguments

subject	A slug version of a legislative subject, displayed as url_name in subject responses.
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves the 20 most recently updated bills for a specific legislative subject.

Examples

```
## Not run:
recent_bills_by_subject('meat')

## End(Not run)
```

 recent_bills_by_type *Get Recent Bills*

Description

For the current Congress, “recent bills” can be one of four types (see the descriptions below). For previous Congresses, “recent bills” means the last 20 bills of that Congress. In the responses, an active value of true means that the bill has seen action beyond introduction and committee referral. Requests include a chamber value; to get recent bills from the House and Senate, use both as the value. You can paginate through bills using the page-parameter that accepts multiples of 20. Bills before the 113th Congress (prior to 2013) have fewer attribute values than those from the 113th Congress onward, because the more recent bill data comes from the bulk data provided by the Government Publishing Office. The order of the results depends on the value of type and all results are sorted in descending order.

Usage

```
recent_bills_by_type(
  congress,
  chamber = c("house", "senate", "both"),
  type = c("introduced", "updated", "active", "passed", "enacted", "vetoed"),
  page = 1,
  myAPI_Key
)
```

Arguments

congress	105-116
chamber	house, senate or both
type	introduced (introduced_date), updated (latest_major_action_date), active (latest_major_action_date) passed (latest_major_action_date), enacted (enacted), vetoed (vetoed).
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

summaries of the 20 most recent bills by type. The order of the results depends on the value of type and all results are sorted in descending order.

Examples

```
## Not run:
recent_bills_by_type(115, 'house', 'introduced')

## End(Not run)
```

retrieve_key	<i>Retrieve the relevant ProPublica API key for congress API or campaign finance API</i>
--------------	--

Description

This function is primarily meant to be used by pp_query to determine the API keys if not passed explicitly.

Usage

```
retrieve_key(API = c("congress", "campaign-finance"))
```

Arguments

API Which API are you accessing

Value

the key from config.yml or global environment variables key_congress/key_campaign_finance

Examples

```
## Not run:
retrieve_key('congress')
retrieve_key('campaign-finance')

## End(Not run)
```

search_lobbying_representation_filings	<i>Search Lobbying Representation Filings</i>
--	---

Description

Returns recent lobbying representation filings for a given search term, in batches of twenty.

Usage

```
search_lobbying_representation_filings(query, page = 1, myAPI_Key)
```

Arguments

query	keyword or phrase
page	Results come in batches of 20. The page parameter specifies which one to retrieve.
myAPI_Key	API key from Propublica To use the congress API, you must sign up for an API key.

Value

List of returned JSON from endpoint that retrieves

Examples

```
## Not run:  
search_lobbying_representation_filings('Facebook')  
  
## End(Not run)
```

us_congressional_districts
US Congressional Districts

Description

A dataset containing some information about US Congressional Districts

Usage

```
us_congressional_districts
```

Format

A data frame with 435 rows and 3 variables:

district The district name

state_name The state the district is in

state_abb Two letter state abbreviation

district_number District number. Except for at-large districts. ...

validate_cycle	<i>Validate that year cycle is correct</i>
----------------	--

Description

Validate that year cycle is correct

Usage

```
validate_cycle(cycle)
```

Arguments

cycle	An election cycle (e.g. 2018)
-------	-------------------------------

Value

TRUE if correct FALSE otherwise

Examples

```
validate_cycle(1996)#TRUE  
validate_cycle(1979)#FALSE  
validate_cycle(16) #FALSE
```

validate_district	<i>Validate that a district abbreviation is correct</i>
-------------------	---

Description

Validate that a district abbreviation is correct

Usage

```
validate_district(us_district)
```

Arguments

us_district	An integer corresponding to the district.
-------------	---

Value

TRUE if correct FALSE otherwise

Examples

```
## Not run:
validate_district(1)#TRUE
validate_district(111) #FALSE
validate_district(us_congressional_districts$district[1]) #FALSE
validate_district(as.numeric(us_congressional_districts$district_number[1])) #TRUE

## End(Not run)
```

validate_state	<i>Validate that a abbreviation is correct</i>
----------------	--

Description

Validate that a abbreviation is correct

Usage

```
validate_state(us_state)
```

Arguments

us_state State abbreviation (e.g. NY)

Value

TRUE if correct FALSE otherwise

Index

* datasets

us_congressional_districts, 85

bills_legislation_by_keyword, 5

compare_two_member_bill_sponsorships,
6

compare_two_member_vote_positions, 7

get_a_bill, 9

get_amendments_bill, 8

get_bills_cosponsored_member, 10

get_candidate, 11

get_candidate_by_name, 13

get_candidates_in_race, 12

get_committee, 13

get_committee_by_name, 14

get_committee_electioneering_communications,
15

get_committee_filings, 16

get_committee_leadership, 17

get_congress_member, 20

get_congressional_statement_by_bill,
17

get_congressional_statement_by_member,
18

get_congressional_statement_by_subjects,
19

get_cosponsors_specific_bill, 20

get_current_members_by_statedistrict,
21

get_electioneering_communications_by_date,
22

get_electioneering_communications_committee,
23

get_electronic_filing_by_committees,
25

get_electronic_filing_by_types, 25

get_electronic_filing_byDate, 24

get_electronic_filing_form_types, 26

get_hearing_specific_committee, 27

get_house_senate_floor_actions_by_date,
28

get_independent_expenditure_by_committee,
29

get_independent_expenditure_by_date,
30

get_independent_expenditure_office_totals,
31

get_independent_expenditure_race_totals_committee,
32

get_independent_expenditure_support_candidate,
33

get_independent_expenditure_support_presidential_candidate,
34

get_lobbyist_bundlers, 34

get_member_vote_position, 36

get_members_leaving, 35

get_new_members, 37

get_nominees_by_state, 37

get_quarter_office_expenses_by_category_house_member,
38

get_quarter_office_expenses_house_member,
39

get_races_for_state, 40

get_recent_amendments, 43

get_recent_committee_hearing, 44

get_recent_congressional_statements,
44

get_recent_congressional_statements_by_date,
45

get_recent_congressional_statements_by_term,
46

get_recent_electioneering_communications,
47

get_recent_house_senate_floor_actions,
47

get_recent_independent_expend, 48

get_recent_late_contributions, 49

[get_recent_late_contributions_candidate](#), 50
[get_recent_late_contributions_committee](#), 51
[get_recent_late_contributions_date](#), 52
[get_recent_lobbying_representation_filings](#), 53
[get_recent_nominations_by_category](#), 53
[get_recent_official_communications](#), 54
[get_recent_official_communications_by_category](#), 55
[get_recent_official_communications_by_chamber](#), 56
[get_recent_official_communications_by_date](#), 57
[get_recent_personal_explanations](#), 58
[get_recent_personal_explanations_specific_member](#), 58
[get_recent_personal_explanations_votes](#), 59
[get_recent_personal_explanations_votes_by_category](#), 60
[get_recent_personal_explanations_votes_specific_member](#), 61
[get_recent_personal_explanations_votes_specific_member_by_category](#), 62
[get_recent_votes](#), 63
[get_recently_added_independent_expenditure_committees](#), 41
[get_recently_candidates](#), 41
[get_recently_committees](#), 42
[get_related_bills](#), 64
[get_senate_nomination_votes](#), 65
[get_specific_bill](#), 65
[get_specific_bill_subject](#), 66
[get_specific_committee](#), 67
[get_specific_lobbying_representation_filings](#), 68
[get_specific_nominations](#), 68
[get_specific_roll_call_vote](#), 69
[get_specific_subcommittee](#), 70
[get_state_party_counts](#), 72
[get_statement_subjects](#), 71
[get_subjects_for_bill](#), 73
[get_top20_candidate_of_FinancialCategory](#), 73
[get_upcoming_bills](#), 74
[get_votes_by_date](#), 75
[get_votes_by_date_range](#), 76
[get_votes_by_type](#), 77
[list_members_chamber_congress](#), 79
[lists_of_committees](#), 78
[pp_convert_to_data_frame](#), 79
[pp_query](#), 80
[recent_bills_by_member](#), 81
[recent_bills_by_subject](#), 82
[recent_bills_by_type](#), 83
[retrieve_key](#), 84
[search_lobbying_representation_filings](#), 84
[use_congressional_districts](#), 85
[validate_cycle](#), 86
[validate_district](#), 86
[validate_state](#), 87